

XXIX Symposium on bioinformatics and computer-aided drug discovery
18-20 September, 2023

A NEW TARGET TO OVERCOME ABC TRANSPORTER ACCOSITED CHEMORESISTANCE OF TUMOR CELLS

A. V. Sagaidak, T. A. Grigoreva, V. G. Tribulovich


Laboratory of Molecular Pharmacology, St. Petersburg State
Institute of Technology (Technical University),
St. Petersburg, Russia
aleksandrasagaidak@yandex.ru

Chemoresistance of tumor cells



Chemoresistant cell

ABC transporters activity (P-gp, BCRP)



ABC transporter accosited tumor cells chemoresistance overcoming




Chemoresistant cell

ABC transporters
inhibitors




Chemosensitive cell





ABC transporters inhibition



ABC transporters inhibition by NBD binding




Laboratory of
Molecular
Pharmacology
product




The aim of the work

NBD validation as a new target for ABC transporters inhibition by studying interaction of ATP mimetics with ABC transporters and evaluating biological activity of compounds.



In silico ATP mimetics interaction with NBD

P-gp and BCRP structures from the PDB




In silico ATP mimetics interaction with ABC transporters

P-gp


Ligand	NBD	TMD
ATP	-8,2	-7
AMP	-6,8	-5,7
AICAR	-6,9	-5,3
Ribavirin	-6,3	-5,5
SN-202	-6,0	-4,7

BCRP


Ligand	NBD	TMD
ATP	-9,0	-7,4
AMP	-9,2	-7,4
AICAR	-6,3	-5,9
Ribavirin	-6,3	-5,9
SN-202	-5,7	-5,4




ATP




AMP



AICAR




Ribavirin




SN202

In silico ATP mimetics interaction with P-gp NBD


ATP




AMP



AICAR




Ribavirin




In silico ATP mimetics interaction with BCRP NBD


ATP




AMP




AICAR



Ribavirin




Effect of ATP mimetics on ABC proteins ATPase activity





Cancer cell line resistant to taxol

HCT116, wild type






HCT116tax, resistant to taxol




Effect of ATP mimetics on ABC proteins transport activity


Hoechst 33342 accumulation in HCT116tax



Effect of ATP mimetics on chemoresistant cells survival



Conclusions



Chemoresistant cell

- ATP and its analogues selectively bind to ABC transporters NBD;
- ATP mimetics inhibit ABC transporters activity and increase sensitivity of chemoresistant cells to taxol.



We will be glad to have questions and comments!

- Aleksandra Sagaidak: aleksandrasagaidak@yandex.ru
- Laboratory group VKontakte: <https://vk.com/molpharm>